

Target Medication	Market Events Criteria	Approval Duration	TAC Review Date
dvair Diskus (brand)	Approve if the patient has tried one of the following: fluticasone-salmeterol inhalation powder (generic to Advair Diskus), Wixela Inhub [documentation required].	1 year	2/19/2025
	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five single-entity corticosteroid topical agents AND one prescription topical anti-infective agent. Note: Examples of topical corticosteroids include: hydrocortisone cream/lotion/ointment [multiple brand and generic products], betamethasone cream/ointment/lotion [Diprolene, generics], clobetasol cream/gel/lotion [Temovate, Clobex, generics], fluocinolone ointment/oream [Synalar, generics], fluocinonide cream/ointment/gel [generics], mometasone cream/lotion/ointment [Elocon, generics], triamcinolone cream/ointment/lotion [generics]. Note: Examples of prescription topical anti-infectives include: mupirocin 2% cream [Bactroban, generics], mupirocin 2% ointment [Bactroban, generics],		
	Centany ointment, Centany AT ointment, Altabax ointment).	1 year	2/19/2025
mrix ER (cyclobenzaprine ER) 15 mg and 30 mg capsules, generics	Approve if the patient has tried and cannot take cyclobenzaprine 5 mg or 10 mg tablets (generics), if formulary. If cyclobenzaprine 5 mg or 10 mg tablets (generics) are non-formulary, approve.	1 year	2/19/2025
rilinto tablete (brand)	Approve if the nations has tried general stables Idea manufation required!	1,400	6/4/2025 **Effective 8/11/2025**
rilinta tablets (brand)	Approve if the patient has tried generic ticagrelor tablets [documentation required].	1 year	Effective o/ 1 1/2025
	 Direct to the 500 mg tablets. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the chlorzoxazone 500 mg tablets. Note: If the 500 mg tablets are not currently available, approve a 1-time override. 	1 vear	2/19/2025
2 10 /	1. Approve if the patient has tried five oral antihistamines (e.g., clemastine tablets, diphenhydramine, chlorpheniramine, carbinoxamine, hydroxyzine,	. ,	
	cetirizine). 2. If the patient is unable to swallow or has difficulty swallowing tablets, approve if the patient has tried at least two of the following: carbinoxamine syrup,		
	diphenhydramine solution, or hydroxyzine solution or syrup.	1 year	2/19/2025
, ,	Market Events does not cover this medication.	N/A	2/19/2025
exchlorpheniramine 2 mg/5mL oral	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with one of the following products: loratedine, fexofenadine or cetirizine AND the patient has also tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with chlorpheniramine. NOTE: Prescription or over-the-counter (OTC) products would count toward meeting the requirement.	1 year	2/19/2025
,	Approve if the patient has tried five prescription-strength oral NSAIDs [documentation required]. Note: For example: nabumetone (generics), etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), meloxicam (Mobic, generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac (Voltaren XR, generics), piroxicam (Feldene, generics), indomethacin (generics). Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used.	, you	210200
	Note: Five unique NSAIDs should be tried.	1 year	2/19/2025
	 Approve if the patient has tried or is currently receiving one hydroxyurea product (hydroxyurea, Droxia, Siklos). If none are formulary, approve. If, according to the prescriber, the patient is not a candidate for a hydroxyurea product (e.g., a patient who is planning to become pregnant; a pregnant patient; or a patient with an immunosuppressive condition (such as cancer!), approve. Note: If the patient has already tried (or is currently taking) a hydroxyurea product, they would not be expected to try another hydroxyurea agent. For example, if the patient has already tried Droxia, the patient would not be required to try Siklos (even if Siklos is the only formulary agent). 	1 year	2/19/2025
	1. Direct to other fenofibrate products. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use other fenofibrate products. Note: Examples of other fenofibrate products include fenofibrate (Tricor, Lofibra, generics), fenofibric acid (Trilipix, Fibricor, generics). 1. Direct to cyclobenzaprine 5 mg or 10 mg tablets.	1 year	2/19/2025
exmid (cyclobenzaprine) 7.5 mg tablets, enerics	2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the cyclobenzaprine 5 mg or 10 mg tablets.	1 year	2/19/2025
lycopyrrolate 1.5 mg tablets	Approve if the patient has tried glycopyrrolate 1 or 2 mg tablets, if formulary. If glycopyrrolate 1 or 2 mg tablets are non-formulary, approve.	1 year	2/19/2025

Target Medication	Market Events Criteria	Approval Duration	TAC Review Date
	Approve if the patient has tried one product from the following list: amantadine capsules, amantadine tablets, or amantadine oral solution AND meets one of the following (A or B):		
	A. Patient derived benefit from immediate-release amantadine, but had intolerable adverse events, as determined by the prescriber; OR		
Gocovri (amantadine) ER capsules	B. Patient could not achieve a high enough dosage to gain adequate benefit, as determined by the prescriber.	1 year	2/19/2025
Indocin (indomethacin) 50 mg Suppository; Indomethacin 100 mg			
Suppository	Market Events does not cover this medication.	N/A	2/19/2025
	Approve if the patient has tried one of ibuprofen suspension (e.g., Motrin, generics) or naproxen suspension (e.g., Naprosyn, generics). If neither are		
Indocin (indomethacin) oral suspension	formulary, approve. NOTE: Over-the-counter ibuprofen suspension would count as an alternative.	1 year	2/19/2025
indocin (indometriacin) oral suspension	Approve if the patient has tried five prescription-strength, oral NSAIDs.	i yeai	2/10/2020
	Note: Examples include: etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), meloxicam (Mobic,		
	generics), nabumetone (generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac (Voltaren XR, generics), piroxicam (Feldene, generics), indomethacin (generics).		
	Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used.		
ketoprofen 25 mg capsule	Note: Five unique NSAIDs should be tried.	1 year	2/19/2025
	Approve if the nations had tried least less calution for eval administration. If least less calution for eval administration is not formula.		
lactulose 10 gram packet (generic)	Approve if the patient has tried lactulose solution for oral administration. If lactulose solution for oral administration is non-formulary, approve. NOTE: A trial of the requested agent would NOT count toward meeting this requirement.	1 year	2/19/2025
lactaioso to gram packet (generio)	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.	i you	2,10,2020
	Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers,		
Latuda tablets (brand)	preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1	2/19/2025
Latida tablets (brand)	Approve if the patient has tried three medications (each from a different group) of the following: a morphine-containing product, a hydrocodone-containing	1 year	2/19/2025
	product, a hydromorphone-containing product, an oxycodone-containing product, an oxymorphone-containing product, a fentanyl-containing product, a		
Levorphanol 2 mg and 3 mg tablets	methadone-containing product, or a tapentadol-containing product.	1 year	2/19/2025
	1. Approve if the patient has tried BOTH a dicyclomine-containing product (tablet, capsule, syrup) AND a hyoscamine-containing product (tablet, solution).		
Librax (brand only)	2. Approve if the patient has already been started on chlordiazepoxide-clidinium.	1 year	2/19/2025
			2//2/225
lidocaine-tetracaine 7%/7% cream Lorzone (chlorzoxazone) 375 mg tablet,	Market Events does not cover this medication.	N/A	2/19/2025
generics	Market Events does not cover this medication.	N/A	2/19/2025
Lorzone (chlorzoxazone) 750 mg tablet,	 Direct to the 500 mg tablets. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the chlorzoxazone 500 mg tablets. 		
generics	Note: If the 500 mg tablets are not currently available, approve a 1-time override.	1 year	2/19/2025
	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.	,	
	Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers,		
Lyrica capsules and oral solution (brand)	preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	2/19/2025
zymou oupouros una orar osiation (brana)		i you	2,10,2020
	Approve if the patient has tried AND cannot take at least two other prescription or over-the-counter (OTC) niacin-containing products due to a significant		
	allergy to an inactive ingredient (e.g., dyes, fillers, etc.) or due to significant adverse reactions to the other niacin-containing products. NOTE: The physician must provide what differences in the inactive ingredient(s) which leads to an allergy to the other niacin-containing products or provide		
niacin 500 mg (generic)	what serious adverse reactions to the other niacin-containing products that are of concern.	1 year	2/19/2025
,	V	,	
	Approve if the patient has tried AND cannot take at least two other prescription or over-the-counter (OTC) niacin-containing products due to a significant		
	allergy to an inactive ingredient (e.g., dyes, fillers, etc.) or due to significant adverse reactions to the other niacin-containing products. NOTE: The physician must provide what differences in the inactive ingredient(s) which leads to an allergy to the other niacin-containing products or provide		
Niacor (niacin) 500 mg tablets	what serious adverse reactions to the other niacin-containing products that are of concern.	1 year	2/19/2025
Norgesic Forte (orphenadrine-asprin-			
caffeine) tablets, Orphengesic Forte (orphenadrine-asprin-caffeine) tablets,	Approve if the patient has tried prescription orphenadrine citrate extended-release 100 mg tablets [documentation required] AND an over-the-counter (OTC) aspirin and caffeine-containing product [documentation required].		
generics	Note: Examples of OTC aspirin and caffeine combination products include Anacin tablets, Bayer Back and Body Pain caplet, BC Arthritis powder packets.	1 year	2/19/2025
		•	
	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with four products from the	1 1/22	2/19/2025
1%/ aloe 1%) gel	following list: Epifoam, hydrocortisone-pramoxine cream, Pramosone cream, Pramosone lotion, or Pramosone ointment. If none are formulary, approve.	1 year	2/ 19/2025

Target Medication	Market Events Criteria	Approval Duration	TAC Review Date
	Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required. NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].		
	OR		
	Compliance with the Affordable Care Act. HRSA Guidelines, and PHS Act section 2713 is required. Approve if the patient meets one of the following criteria (i or ii): i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR		
NuvaRing (brand)	ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	2/19/2025
	Approve if the patient has tried one product from the following list: amantadine capsules, amantadine tablets, or amantadine oral solution AND meets one of	. , 501	
	the following (A or B): A. Patient derived benefit from immediate-release amantadine, but had intolerable adverse events, as determined by the prescriber; OR		
Osmolex (amantadine) ER tablets oxycodone-acetaminophen 10-300	B. Patient could not achieve a high enough dosage to gain adequate benefit, as determined by the prescriber. 1. Direct to oxycodone-acetaminophen 10-325 mg tablets.	1 year	2/19/2025
	2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use oxycodone-acetaminophen 10-325 mg tablets.	1 year	2/19/2025
oxycodone-acetaminophen 2.5-300 tablets (includes Primlev and Prolate tablets)	 Direct to oxycodone-acetaminophen 2.5-325 mg tablets. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the oxycodone-acetaminophen 2.5-325 mg tablets. 	1 year	2/19/2025
,	1. Direct to oxycodone-acetaminophen 5-325 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use oxycodone-acetaminophen 5-325 mg tablets.	1 year	2/19/2025
oxycodone-acetaminophen 7.5-300 tablets (includes Primlev and Prolate	Direct to oxycodone-acetaminophen 7.5-325 mg tablets. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use oxycodone-acetaminophen 7.5-325 mg	,	
tablets)	tablets.	1 year	2/19/2025
Prolate (oxycodone-acetaminophen) 10-300/5 oral solution	Approve if the patient has tried and cannot take oxycodone-acetaminophen 10-325 mg tablets. Approve if the patient is unable to swallow or has difficulty swallowing tablets.	1 year	2/192025
Symbicort (brand)	Approve if the patient has tried one of the following: budesonide-formoterol inhalation aerosol (generic to Symbicort) or Breyna [documentation required].	1 year	2/19/2025
Air-radio	Direct the patient to tizanidine tablets.	,	0/40/0005
tizandine capsules (generics) Treximet (sumatriptan/naproxen sodium)	2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use tizanidine tablets. Approve if the patient has tried naproxen AND sumatriptan tablets (Imitrex, generics).	1 year	2/19/2025
tablets, generics	NOTE: A trial of the requested agent would NOT count toward meeting this requirement.	1 year	2/19/2025
Trinaz tablets (prescription dietary supplement for use throughout			
pregnancy).	Market Events does not cover this medication.	N/A	2/19/2025
	Approve if the patient meets one of the following (1 or 2): 1. Patient has tried one generic triptan nasal spray; OR Note: Examples of generic triptan nasal sprays include: sumatriptan nasal spray, zolmitriptan nasal spray.		
Trudhesa Nasal Spray	Patient has already experienced inadequate efficacy or a contraindication with a triptan product.	1 year	2/19/2025
venlafaxine ER tablets (generics) 150	Direct the patient to venlafaxine ER capsules. If venlafaxine ER capsules are non-formulary, approve. If the request if for the 225 mg ER tablets, approve.		
mg, 225 mg, 75 mg	3. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use venlafaxine ER capsules.	1 year	2/19/2025

Target Medication	Market Events Criteria	Approval Duration	TAC Review Date
	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.		
	Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers,		
	preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse		
	reaction.		
Viagra (brand)	Note: Market Events criteria also looks for a claim in the patient's history for generic sildenafil.	1 year	2/19/2025
	Approve if the patient has tried five prescription-strength, oral NSAIDs.		
	Note: Examples include: indomethacin (generics), etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen		
	(generics), meloxicam (Mobic, generics), nabumetone (generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac		
Vivlodex (meloxicam) capsules, Zorvolex	(Voltaren XR, generics), piroxicam (Feldene, generics).		
	Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used.		
(indomethacin) capsules	Note: Five unique NSAIDs should be tried.	1 year	2/19/2025